

Foshan YuChaoDa Hardware Equipment Co.,Ltd

Contact:Katherine J Tel/WA:+8613929078978 Email:katherinejunda@gmail.com

FERRULE:



00110
SAE 1SN HOSE



00210
SAE 2SN HOSE



00018
SAE 100R7/R8 HOS



03310
SAE 2SN HOSE



00110A
SAE 1SN HOSE



00TFO
TEFLON HOSE



00100
Model: SAE 1AT HOSE



00200
Model: SAE 2AT HOSE



01100
Model: CHINE 1WIER HOSE



01200
Model: CHINE 2WIER HOSE



01300
Model: CHINE 3WIER HOSE



01400
Model: CHINE 4SP HOSE

FERRULE:



00400
Model: 4SP 4SH R12HOSE



00401
Model: 4SH R12 HOSE



00402
Model: 4SH R12 HOSE



00110
Model: 1STLow pressure



00621
Model: R13 HOSE



00601
Model: R13 HOSE



00600
Model: R13 HOSE



00100A
Model: 1SC HOSE



00405
Model: 4SH HOSE



SOP
Model: HQ35 HOSE



4SH
Model: Connecting sleeve



1/2SN
Model: SN Connecting sleeve

Metric joint series:



10312
Model: ORING METRICMALE



10612
Model: METRIC MALE 60°



10711
Model: METRIC MALE 74°



10711L
Model: MALE lengthen 74°




10212
Model: METRICMALE




10912
Model: MALE lengthen 90°



30212
Model: FEMALE FLATSEAT




30292
Model: FEMALE FLATSEAT 90°




30242
Model: FEMALE FLATSEAT45°



30112
Model: FEMALE MULTISEAL



30192
Model:FEMALE MULTISEAL90°




30142
Model: FEMALE MULTISEAL

Metric joint series:



30712
Model: FEMALE 74° CONESEAT




30792
Model: FEMALE 74° CONESEAT



30742
Model: FEMALE 74° CONESEAT



20612
Model: FEMALE 60° CONE



20692
Model: FEMALE 60° CONE



20642
Model: FEMALE 60° CONE




70012
Model: METER BANJO




700M
Model: METRIC BOLT




18612
Model: MALE 60° CONE



28612
Model: FEMALE 60° CONE



28692
Model: FEMALE 60° CONE



28642
Model: FEMALE 60° CONE

Metric joint series:



10412
MALE 24° SONE SEAT LT




10512
MALE 24° SONE SEAT HT



10412 SG 神岗
MALE 24° SONE SEAT LT



30412
FEMALE 24° CONE SEAT L.T.



30492
FEMALE 24° CONE SEAT L.T.




30442
FEMALE 24° CONE SEAT L.T.



30512
FEMALE 24° CONE SEAT H.T.



30592
FEMALE 24° CONE SEAT H.T.




30542
FEMALE 24° CONE SEAT H.T.



20513
FEMALE 24° CONE O-ING H.T.



20593
FEMALE 24° CONE O-ING H.T.



20543
FEMALE 24° CONE O-ING H.T.

METRIC FEMALE ONE PIECE FITTING SERIES:



30411P
FEMALE 24° CONE O-ING L.T.



30491P
FEMALE 24° CONE O-ING L.T.



30441P
FEMALE 24° CONE O-ING L.T.


British hydraulic joint series



12212
BSPMALE ORINE SEAL




12612
BSP MALE 60° CONE SEAT




13012
BSPT MALE



22112
BSP FEMALE MULTISEAL



22192
90° BSP FEMALE MULTISEAL



22142
45° BSP FEMALE MULTISEAL



22212
BSP FEMALE FLAT SEAT




22292
90° BSP FEMALE FLAT SEAT



22242
45° BSP FEMALE FLAT SEAT



22612
BSP FEMALE 60° CONE



22692
90° BSP FEMALE 60° CONE



22642
45° BSP FEMALE 60° CONE



22612D
BSP FEMALE 60° DOULE HEXAGON



22692D
BSP FEMALE 60° DOULE HEXAGON



22642D
BSP FEMALE 60° DOULE HEXAGON



22612D-WD
BSP FEMALE 60° DOULE HEXAGON



22692WD
90° BSP FEMALE 60° DOULE HEXAGON



22642WD
45° BSP FEMALE 60°



22613WD
BSP FEMALE 60° CONE



22692K
90° BSP FEMALE CONE DOUBLE HEXAGON



29612
JIS GAS FEMALE 60° CONESEAT



29692
90° JIS FEMALE 60° CONESEAT



29642
45° JIS FEMALE 60° CONESEAT



29612D
JIS FEMALE 60° double hexagonal



720B
BSP BOLT



72012
BSP BANJO



20011T-XC
METRIC FEMALE WATERWASH INSERTS



Oxygen connector



Gas connection



Nitrogen connector



Car washing docking



Car wash machine quick connect




Car washing machine rotary joint



Car washing machine rotary joint



Jack female head



Jack hose connector








Jack hose connector





quick connector



High pressure quick connector





American joint series



14212
ORFS MALE O RING SEAT



15612
NPT MALE



15612SW
NPT SWIVEL MALE



15613
NPT SWIVEL MALE



16012
SAE O-RRING MALE



16712
JIC MALE 74° CONE



26712
JIC FEMALE 74° CONE SEAT




26792
90° JIC FEMALE 74° CONE SEAT



26742
45° JIC FEMALE 74° CONE SEAT



26712D
JIC 74° CONE SEAT DOUBLE HEXAGON



26793
90° JIC FEMALE 74° CONE SEAT



26743
45° JIC FEMALE 74° CONE SEAT



26713
JIC FEMALE 74° CONE SEAT



26711-PO
JIC FEMALE 74° CONE SEAT



26792K
90° JIC FEMALE 74° CONE SEAT DOUBLE



21612
NPSM FEMALE 60° CONE



21692
90° NPSM FEMALE 60° CONE



21642
45° NPSM FEMALE 60° CONE



87312 LT /87612LT
SAE FLANGE 3000PS I LT
SAE FLANGE 6000PS I LT



90° SAE FLANGE 3000PSI LT



87392LT /87692LT
90° SAE FLANGE 6000PSI LT



24213
ORFS FEMALE FLAT SEAT




24293
90° ORFS FEMALE FLAT SEAT



24243
ORFS FEMALE FLAT SEAT



34212
PRFS FEMALE FLAT SEAT



34292
90° PRFS FEMALE FLAT SEAT



34242
45° PRFS FEMALE FLAT SEAT



24212D
ORFS FEMALE FLAT SEAT DOUBLE HEXAGON



17812
JIC MALE 74° CONE



27811
SAE MALE 90° CONE SEAT



28691
90° SAE MALE 90° CONE SEAT



28671
SAE MALE 45° CONE SEAT



87312
SAE FLANGE 3000PSI



87392
90° SAE FLANGE 3000PSI



87342
45° SAE FLANGE 3000PSI



87612
SAE FLANG 6000PSI



87692
90° SAE FLANG 6000PSI



87642
45° SAE FLANG 6000PSI




87912
SAE FLANGE 9000PSI



87992
90° SAE FLANGE 9000PSI



87942
45° SAE FLANGE 9000PSI




87372
70° SAE FLANGE 3000PSI



87332
30° SAE FLANGE 3000PSI



87322H
15° SAE FLANGE 3000PSI




87342H
45° SAE FLANGE 3000PSI



87392H
90° SAE FLANGE 3000PSI



87622
15° SAE FLANGE 6000PSI



87692H
90° SAE FLANGE 6000PSI



87642H
90° SAE FLANGE 6000PSI



87922
15° SAE FLANGE 9000PSI



87922H
15° SAE FLANGE 9000PSI



87942H
45° SAE FLANGE 9000PSI



87992H
90° SAE FLANGE 9000PSI



87933
30° SAE FLANGE 9000PSI



87342LT/87642LT
45° SAE FLANGE 3000PSI | L T SAE FLANGE 9000PSI | LT



87912LT



34242D-16/12(CAT)



87992LT
90° SAE FLANGE 9000PSI | LT



24212DLT
ORFS FEMALE FLAT SEAT DOUBLE HEXAGON



34292D-16/12(CAT)



34212D-16/12(CAT)



32642 LT



30512 LT


(16/12) ORFS FEMALE FLAT SEAT DOUBLE HEXAGON (CAT)




87912-16/12 (CAT)




87992-16/12 (CAT)
(16/12)SAE FLANGE 9000PSI (CAT)



87942-16/12(CAT)



87932-16/12(H100=100)
(16/12)30° SAE FLANGE 9000PSI (CAT)



87992-16H130
SAE FLANGE 9000PSI (CAT)




(12/16)
4SH/4SP

Six layer flange:



87313
SAE FLANGE 3000PSI Six layer




87393
90° SAE FLANGE 3000PSI Six layer



87343
45° SAE FLANGE 3000PSI Six layer



87613
SAE FLANGE 6000PSI Six layer




87693
90° SAE FLANGE 6000PSI Six layer




87643
45° SAE FLANGE 6000PSI Six layer



87913
SAE FLANGE 9000PSI Six layer




87993
90° SAE FLANGE 9000PSI Six layer




87943
45° SAE FLANGE 9000PSI Six layer



87613L
SAE FLANGE 6000PSI




87693L
90° SAE FLANGE 6000PSI




87643L
45° SAE FLANGE 6000PSI



87913L
SAE FLANGE 9000PSI



87993L
90° SAE FLANGE 9000PSI



87943L
45° SAE FLANGE 9000PSI



30011
FEMALE WATERWASH INSERTS



90011
DOUBLE CONNECTOR



50011
WELD CONNECTOR




26718
Special square flange joint



24218




24298




1 1/4 90
Shengang excavator flange




1 1/4S
CAT excavator flange




3/4 15°
CAT excavator flange 15°



1" 45°
CAT excavator flange 45°




1 1/4
Square flange of Shengang excavator



1 1/4 H180
Square flange of Shengang excavator



1 1/4 7
Square flange of Shengang excavator



87942 CAT
47.6CAT multi bend flange




87922 CAT
47.6CAT multi bend flange



1"-38.1
Komatsu excavator square flange



CAT
Carter radiator diamond flange



Volvo radiator flange


CAT
Excavator multi bend flange:







CAT 44.4 Triple bend flange




CAT 38.1 Two bend flange




CAT 38.1 70° H120




87913CAT
SAE FLANGE 9000PSI




87993 CAT
90° SAE FLANGE 9000PSI




87933CAT
45° SAE FLANGE 9000PSI



87993H CAT
90° SAE FLANGE 9000PSIlengthening



87612 VOIVO
SAE FLANGE 6000PSI



87692VOIVO
90° SAE FLANGE 6000PSI




LIUGONG 950E left



LIUGONG 950E Right



CAT 87913



CAT 87993



CAT24212



CAT 87913



KOMASU 87312-24(60.3)



KOMASU 87392-24(60.3)



KOMASU 87342-24(60.3)



KOMASU



1JG L



1KO L



1BG L



1FG L



AFHF-10-24-10 (08-24-08)



1FG9 L



1KO9 L



1BG9 L



1FH9 L



24212D H



22612 H



28611-B



87642LT



87942 FKLT

British transition joint



1B
BSP MALE 60° SEAT OR BONDED SEAL



1B9
90° BSP MALE 60° SEAT



1B4
45° BSP MALE 60° SEAT



1B-WD
BSP MALE 60° SEAT OR BONDED SEAL



2B
60° inside and outside BSP



2B9
90° inside and outside BSP



2B4
45° inside and outside BSP



3B
BSP FEMALE SWIVEL 60° CONE



3B9
90° BSP FEMALE SWIVEL 60° CONE



4B
BSP MALE 60° SEAT OR SEAL PLUG



4BN-WD
BSP Inner hexagonal plug ED



5B-WD
BSP English internal and external teeth



6B
BSP MALE 60° SEAL BULKHEAD



7B
90° BSP MALE 60° SEAL BULKHEAD



BB
BSP MALE/FEMALE SWIVE 60° CONE BRANCH TEE



9B
BSP FEMALE CONE PULG



AB
BSP MALE 60° SEAL TEE



GB
BSP FEMALE TEE



CB
BSP MALE/FEMALE SWIVE 60° CONE BRANCH TEE



1BF
BSP MALE DOUBLE FOR 60° SEAT BR BON SEAL /ORFS MALE



1BG
BSP MALE DOUBLE USE 60° SEATORBONDED DEA/MALE



1BG9
90° BSP MALE 60° SEAT/MALE ADJUSTABLE STUDEND



1BG4
45° BSP MALE 60° SEAT/MALE ADJUSTABLE STUDEND



1BH
BSP MALE 60° SEATORBONDED SEAL/METRIC MALE O



1BH9
90° BSP MALE 60° SEATORBONDEDSEAL/METRIC MALEO



1BH4
45° BSP MALE 60° SEATORBONDEDSEAL/METRIC MALEO



1BM
BSP MALE 60°SEAT ORBONDED SEAL/METRIC MALE BONDED SEAL



1BN
BSP MALE 60° CONE ORBONDED SEAL/NPT MALE



1BN9
90° BSP MALE 60° CONE ORBONDED SEAL/NPT MALE



1BN4
BSP MALE 60° CONE ORBONDED SEAL/NPT MALE



1BO
BSP MALE 60° SEAT OR BONDED SEAL/ MALE ORIN SEAL BSP MALE



1BO9
60° SEAT OR BONDED SEAL/SAE MALE ORIN SEAL



1BO4
BSP MALE 60° SEAT OR BONDED SEAL/SAE MALE ORIN SEAL



1BT-SP
BSP MALE 60° CONE ORBONDED SEAL/BSPT MALE



1BT9-SP
90° BSP MALE 60° CONE ORBONDED SEAL/BSPT MALE



1BT4-SP
45° BSP MALE 60° CONE ORBONDED SEAL/BSPT MALE



2BJ
BSP MALE 60° SEAT ORBONDED SEALE 74° SEAT



5BN
BSPMALE DOUBLEUSEFOR60° CONE ORBONDEDSEAL/NPT MALE



7T9
90° BSPT FEMALE



5BT
BSPMALE DOUBLEUSEFOR60° CONE ORBONDEDSEAL/BSPT MALE




1T-SP
BSPT MALE



5TB
BSPT MALE/BSP FEMALE 60° CONE



1T9-SP
90° BSPT MALE



1T4-SP
45° BSPT MALE



4T-SP
BSPT MALE PLUG



4TN
BSPTMALE HOLLOW HEX OLUG



5T
BSPT MALE/BSPT FEMALE



7T
BSPT FEMALE



1SG4
45° JIS GAS MALE 60° /BSPMALE ORING



1SN
JIS GAS MALE 60° CONE/NPTMALE




1SN9
90° JIS GAS MALE 60° CONE/NPTMALE



1S
BSPT ,ALE/NPT FEMALE



5TN
JIS GAS MALE 60° CONE



1SN4
45° JIS GAS MALE 60° CONE/NPTMALE



1S9
90° JIS GAS MALE 60° CONE



9S
JIS GAS FEMALE 60° SEAT PLUG



4S
JIS GAS MALE 60° CONE PLU



6S
JIS GAS MALE 60° CONE BULKHEAD



1SG
JIS GAS MALE 60°/BSPMALE ORING




1SG9
90° JIS GAS MALE 60°/BSPMALE ORING



1ST-SP
JIS GAS MALE 60° CONE/BSPT MALE



1ST9-SP
90° JIS GAS MALE 60° CONE/BSPT MALE



1ST4
45° JIS GAS MALE 60° CONE/BSPT MALE



AS
JIS GAS 60° CONE TEE



CS
JIS GAS MALE 60° CONE/FEMALE 60° SWAT BRANCH TEE



BS
JIS GAS MALE 60° CONE/FEMALE 60° SWAT BRANCH TEE

Metric H-type transition joint



1C (NL)
METRIC MALE 24° NL



1C9 (NL)
90° METRIC MALE 24° NL



1C4 (NL)
45° METRIC MALE 24° NL



1D (NS)
METRIC MALE 24° NS



1D9(NS)
90° METRIC MALE 24° NS



1D4(NS)
45° METRIC MALE 24° NS



2C /2D
METRIC MALE/DEMALE SWIVEL24°



3C /3D
METRIC FEMALE/FEMALE SWIVEL 24°



2C9/2D9
90° METR MALE/FEMALE SWIVEL 24°



2C4/2D4
45° METR MALE/FEMALE SWIVEL 24°



4C/4D
METRIC MALE 24° PLUG



9C/9D
METRIC FEMALE 24° L/H.T.CAP



6C/6D
METRIC MALE/24° BULKHEAD



6C9/6D9
90° METRIC MALE/24° BULKHEAD



1CB/1DB WD
METRIC MALE24°/BSPMALE CAPTIVESEAL



1CG/1DG
METRIC MALE24°/BSP MALE CAPT IVE SEAL



1CG9/1DG9
90° METRIC MALE24°/BSP MALE CAPT IVE SEAL



1CG4/1DG4
45°METRIC MALE24°/BSP MALE CAPT IVE SEAL



1CH/1DH
METRIC MALE 24°/MALE O-RING SEAL



1CH9/1DH9
90° METRIC MALE 24°/MALE O-RING SEAL



1CH4/1DH4
45° METRIC MALE 24°/MALE O-RING SEAL



1CJ/1DJ
METRIC MALE 24°/JIC MALE 74° CONE



1CI/1DI
METRIC MALE 24° BANJO



1CM/1DM
METRIC MALE 24°/CAPTIVE SEAL



1CN/1DN
METRIC MALE 24°/NPT MALE L/HT



1CN9/1DN9
90° METRIC MALE 24°/NPT MALE L/HT



1CN4/1DN4
METRIC MALE 24°/NPT MALE L/HT



1CO/1DO
METRIC/MALE 24°/SAE MALE O-RING



1CO9/1DO9
90° METRIC/MALE 24°/SAE MALE O-RING



1CO4/1DO4
45° METRIC/MALE 24°/SAE MALE O-RING



1CT/1DT-SP
METRIC 24° /BSPPT MALE



1CT9/1DT9
90° METRIC 24° /BSPPT MALE



1CW/1DW
METRIC MALE 24° /WELD



2BC-WD
BSP THREAD WITH CAPTIVE SEAL/
METRIC FEMALE SWIVEL24°



ACCH/ADDH
METRIC MALE 24° /O-RING ADJUSTABLE STUD BRANCH TEE



ACHC/ADHD
METRIC MALE 24° /O-RING ADJUSTABLE STUD BRANCH TEE



AC/AD
METRIC MALE 24° TEE




CC/CD
METRIC 24° MALE/MALE/FEMALE TEE



RL/RS
CUTTING RING NS/NL
RETAIN NG NUTS



BC/BD
METRIC 24° MALE/MALE/FEMALE TEE



DC/DD
METRIC FEMALE 24° TEE



XC/XD
METRIC MALE 24° L/H.T CROSS

Metric transition joint



ACCG/ADDG
METRIC MALE 24°/O-RING ADJUSTABLE STUD BSP TEE




1KH



1KH9



1E
METRIC MALE O-RING



1E9
METRIC MALE O-RING



1KH4
JIS METRIC MALE 60° CONE/
METRIC MALE ADJUSTABLE STUD END



1K
JIS METRIC MALE 60° CONE



1K9
90° JIS METRIC MALE 60° CONE



4MN-WD
METRIC MALE CAPTIVE SEAL HOLLOW HEX PLUG



1KG9
90° JIS METRIC MALE 60° CONE/BSP MALE O-RING



1KG4
45° JIS METRIC MALE 60° CONE/BSP MALE O-RING



1KG
JIS METRIC MALE 60° CONE/BSP MALE O-RING




1KT
JIS METRIC MALE 60° CONE/BSPT MALE



1KT9
JIS METRIC MALE 60° CONE/BSPT MALE



4K
JIS METRIC MALE 60° CONE PLUG



9K
JIS METRIC MALE 60° SEAT PLUG



CK
JIS METRIC MALE 60° CONE /FEMALE60°
SEAT BRANCH TEE



BK
JIS METRIC MALE 60° CONE /FEMALE60°
SEAT BRANCH TEE



AKKG AKGK
JIS METRIC MALE 60° CONE/
BSP MALE O-RING/ADJUSTABLE STUD END RUN TEE




AKKH AKHK
JIS METRIC MALE 60° CONE/
METRIC MALE ADJUST ABLESTUD END BRANCH TEE



1KO
METRIC MALE60° CONE SAE MALE O-RING



1K09
METRIC MALE60° CONE SAE MALE O-RING



34292 H



30492 H / 30592 H

American transition joint



1J
JICMALE 74° CONE



1J9
90° JICMALE 74° CONE



1J4
45° JICMALE 74° CONE



1JB-WD
JIC MALE 74° CONE/BSP MALE CAPTIVE SEAL



1JG
JIC MALE 74° CONE/BSP MALE O-RING



1JG9
JIC MALE 74° CONE/BSP MALE O-RING



1JG4
JIC MALE 74° CONE/BSP MALE O-RING



1JH
JIC MALE 74° CONE, METRIC
MALE ADJUSTABLE STUD



1JH9
90° JIC MALE 74° CONE/METRIC
MALE ADJUSTABLE STUD



1JH4
45° JIC MALE 74° CONE/METRIC
MALE ADJUSTABLE STUD



1JN
JIC MALE 74° CONE/NPT MALE



1JM-WD
JICMALE 74° CONE/METRIC
MALE CAPTIVE SEAT



1JN9
90° JIC MALE 74° CONE/NPT MALE



1JT-SP
JIC MALE 74° CONE/BSPT MALE



1JT9-SP
90° JIC MALE 74° CONE/BSPT MALE



1JO
JIC MALE 74° CONE/SAE MALE O-RING



1JO9
90° JIC MALE 74° CONE/SAE MALE O-RING



1JO4
45° JIC MALE 74° CONE/SAE MALE O-RING



2J
JIC MALE 74° CONE/JIC FEMALE 74° SEAT



2J9
90° JIC MALE 74° CONE/JIC FEMALE 74° SEAT



2J4
45° JIC MALE 74° CONE/JIC FEMALE 74° SEAT



3J
JIC FEMALE 74° SEAT



3J9
90° JIC FEMALE 74° SEAT



4J
JIC MALE 74° CONE PLUG



9J
JIC FEMALE 74° SEAT PLUG



6J
JIC MALE 74° CONE BULKHEAD



AJ
JIC MALE 74° CONE CONE TEE



CJ/BJ
JIC MALE 74° CONE/JIC FEMALE 74° SEAT RUN TEE



AJG AJGJ
JIC MALE 74° CONE/BSP MALE O-RING BRANCH TEE



AJJO/AJOJ
JIC MALE 74° CONE/SAE MALE O-RING BRANCH TEE



AJJH/AJHJ
JIC MALE 74° CONE/METRIC MALE ADJUSTABLE STUD RUN TEE



1FG
ORFS MALE O-RING/BSP MALE O-RING



1FG9
90° ORFS MALE O-RING/BSP MALE O-RING



4ON
SAE MALE O-RING BOSSHOLLOW HEX PLUG



1F
ORFS MALE O-RING



1F9
90° ORFS MALE O-RING



1FG4
ORFS MALE O-RING/BSP MALE O-RING



1FH
ORFS MALE O-RING/METRIC MALE



1FH9
90° ORFS MALE O-RING/METRIC MALE



1FH4
45° ORFS MALE O-RING/METRIC MALE



2F
ORFS MALE O-RING/ORFS FEMALE



2F9
90° ORFS MALE O-RING/ORFS FEMALE



2F4
45° ORFS MALE O-RING/ORFS FEMALE



2FO
ORFS MALE O-RING/ORFS FEMALE



1FO
ORFS MALE O-RING/SAE MALE-RING SEAL



1FO9
90° ORFS MALE O-RING/SAE MALE-RING SEAL



1FO4
45° ORFS MALE O-RING/SAE MALE-RING SEAL



6F
ORFS MALE O-RING BULKHEAD



9F
ORFS FEMALE PLUG



4F
ORFS MALE O-RING PLUG



AFFG AFGF
ORFS MALE O-RING/BSP
MALE O-RING BRANCH TEE



AFFO AFOF
ORFSMALE O-RING /SAE
MALE O-RING BRAMCH TEE



1N
NPT MALE



1N9
90° NPT MALE



4N
NPT MALE PLUG



5N
NPT MALE FEMLAE



7N
NPT FEMALE



7N9
90° NPT FEMALE



1CFL/1CFL
METRIC MALE24° /L-SERIES FLANGE



1CFL9/CDFL9
METRIC MALE24° /L-SERIES FLANGE




1DFS
METRIC MALE 24°/L-SERIES FLANGE



1DFS9
90° METRIC MALE 24°/L-SERIES FLANG



4FL
L-SERIES FLANGE PLUG



4FL/4FS 堵板
L/S SERIES FLANGE O-RING PLUG



FL
M-SERIES SPLTIT FALANGE CLAMPS



FS
S-SERIES SPLTIT FALANGE CLAMPS



FSS CAT
S-SERIES SPLTIT FALANGE CLAMPS CAT



87312DT/87612DT
873/612-PLUG



87342DT
87612-PLUG



Steel pipe ferrule joint:

